

ShareDisk *Portable*



Article Nr.

- SDP10-ENC
- SDP10-160
- SDP10-250
- SDP10-400
- SPD10-500



Features

- Server-less simple network storage: Fast Ethernet 10/100
- Portable USB storage: USB 2.0
- High network performance: 10MB/s Transfer Rate
- RAID 0, 1 Support
- Aggregation Feature: Combine 2 or more disks to one volume.
- NDAS Bind Manager for RAID management
- Award-winning Acronis True Image backup software included
- Supports multi O/S : Windows, Linux, Mac OS
- Compact and sleek fan-less aluminum design.
- Energy save mode

Applications

- Simple file server in SMBs
- Sharable multimedia storage (audio, video streaming)
- Network backup storage
- Sharable external drive

Product Specifications


- **HDD Type** 3.5" IDE. Pre-formatted
- **Drive Capacities** 160 GB, 250 GB, 400GB, 500GB, 750GB
- **Interface** Ethernet, USB2.0
- **Case** In Aluminum. Silver. Fan-less design
- **LEDs (2)** Power and Link/ACT


Drive Performance Specifications


- **Average Read Seek** 8.9 ms
- **Rotational Speed** 7,200 RPM
- **Data Transfer Ethernet** 100Mbps, **USB2.0** 480Mbps
- **Buffer** 8, 16 MB
- **Warranty** 2 year limited



HANTZ + PARTNER
The Upgrade Company! www.hantz.com

Deutschland: 
Tel.: 0761 / 59 21 00
Fax: 0761 / 58 52 28

Schweiz: 
Tel.: 061 / 27 311 - 31
Fax: 061 / 27 311 - 39

Österreich: 
Tel.: 01 / 58 55 430
Fax: 01 / 58 55 460

The New Storage Paradigm

ShareDisk *Gigabit*



Article Nr.

- SDP-G2
- SDP-G2-500
- SDP-G2-750
- SDP-G2-1000



Features

- NDAS Gigabit network storage
- 4 x faster network performance compared to NAS
- 60MB/s Transfer Rate over Ethernet
- Block level I/O
- Formattable as NTFS, FAT, HFS, HFS+, and other file systems
- USB 2.0 interface for universal external storage
- RAID 0, 1 Support
- NDAS Bind Manager for RAID management
- IntelliStor backup software included
- Supports multi O/S : Windows, Linux, Mac OS
- Compact and modern aluminum design.
- Energy save mode

Applications

- Video, DVR, Design, Archiving storage
- High performing, multi hosting network drive for SMBs
- Sharable multimedia storage (audio, video streaming)
- Super fast disk to disk backup via network or e-SATA/USB

Product Specifications

- **HDD Type** 3.5" SATA.
- **Drive Capacities** 250 GB, 500GB, 750GB, 1000GB
- **Interface** Gigabit Ethernet, USB2.0
- **Case** In Aluminum.
- **LEDs** Power and Link/ACT


Drive Performance Specifications


- **Average Read Seek** 8.9 ms
- **Rotational Speed** 7,200 RPM
- **Data Transfer Ethernet** 1000Mbps, **USB2.0** 480Mbps
- **Buffer** 8,16 MB
- **Warranty** 2 year limited



HANTZ + PARTNER
The Upgrade Company! www.hantz.com

Deutschland: 
Tel.: 0761 / 59 21 00
Fax: 0761 / 58 52 28

Schweiz: 
Tel.: 061 / 27 311 - 31
Fax: 061 / 27 311 - 39

Österreich: 
Tel.: 01 / 58 55 430
Fax: 01 / 58 55 460

The New Storage Paradigm

ShareDisk

Pro Express 100



Article Nr.
•SDX-P1

HDD
Anti-shock



Features

- Hot Swappable drive bay for SATA HDDs
- 4x faster network performance compared to NAS
- 75MB/s Transfer Rate over Ethernet
- Block level I/O
- Formattable as NTFS, FAT, HFS, HFS+, and other file systems
- USB 2.0 interface for universal external storage
- eSATA interface for high performance DAS
- High quality full 1.5mm aluminum case
- HDD anti-shock design
- Extra security with HDD-lock
- Supports multi O/S : Windows, Linux, Mac OS
- HDD energy save mode
- FAN on/off

Applications

- Industrial network storage for rough environment
- Disk to disk backup via network or e-SATA/USB
- Video, DVR, Design, Archiving storage
- High performing, multi hosting network drive for SMBs
- Sharable multimedia storage (audio, video streaming)

Product Specifications


- **Data Transfer Interface**
Ethernet 1000Mbps, **e-SATA** 3Gbps, **USB2.0** 480Mbps,
- **HDD Type** 3.5" SATA
- **Drive Capacities** 500GB, 750GB, 1TB
- **Case** In Aluminum. Silver / Black.
- **LEDs** Power and Link/ACT

Drive Performance Specifications


- **Average Read Seek** 8.9 ms
- **Rotational Speed** 7,200 RPM
- **Buffer** 8, 16, 32 MB



HANTZ + PARTNER
The Upgrade Company! www.hantz.com

Deutschland: 
Tel.: 0761 / 59 21 00
Fax: 0761 / 58 52 28

Schweiz: 
Tel.: 061 / 27 311 - 31
Fax: 061 / 27 311 - 39

Österreich: 
Tel.: 01 / 58 55 430
Fax: 01 / 58 55 460

The New Storage Paradigm



Pro 200 "Dual Drive"



Article Nr.

- SDP-P2S-1000
- SDP-P2S-1500
- SDP-P2S-2000

Features

- 2x SATA HDDs (Default RAID 1)
- 4x faster network performance compared to NAS
- 60MB/s Transfer Rate over Ethernet
- Block level I/O
- Formattable as NTFS, FAT, HFS, HFS+, and other file systems
- RAID 0,1 manually configurable (rotary switch)
- eSATA interface for high performance DAS
- USB 2.0 for universal direct external storage
- Supports multi O/S : Windows, Linux, Mac OS
- High quality full 2 mm aluminum case
- FAN on/ off

Applications

- Fault tolerant high speed network storage
- Disk to disk backup via network or e-SATA/USB
- Video, DVR, Design, Archiving storage
- High performing, multi hosting network drive for SMBs
- Sharable multimedia storage (audio, video streaming)

Product Specifications


- **Data Transfer Interface**
Ethernet 1000Mbps, **e-SATA** 3Gbps, **USB2.0** 480Mbps,
- **HDD Type** 3.5" SATA
- **Drive Capacities** 2x 250 GB, 500GB, 750GB, 1TB
- **Case** In Aluminum. Silver / Black.
- **LEDs** Power or Link/ACT


Drive Performance Specifications


- **Average Read Seek** 8.9 ms
- **Rotational Speed** 7,200 RPM
- **Buffer** 8,16, 32 MB



HANTZ + PARTNER
The Upgrade Company! www.hantz.com

Deutschland: 
Tel.: 0761 / 59 21 00
Fax: 0761 / 58 52 28

Schweiz: 
Tel.: 061 / 27 311 - 31
Fax: 061 / 27 311 - 39

Österreich: 
Tel.: 01 / 58 55 430
Fax: 01 / 58 55 460

The New Storage Paradigm



Pro Express 400



Article Nr.
• SDX-P4A



Features

- Hot swappable drive bay for 4 x SATA HDDs
- 4x faster network performance compared to NAS
- 60MB/s Transfer Rate over Ethernet
- Block level I/O
- Formattable as NTFS, FAT, HFS, HFS+, and other file systems
- Enterprise level hardware RAID controller
- RAID 0,10,5, 5S configurable via LCD Display
- Temperature sensor controlled FAN with information on LCD
- eSATA interface for high performance external storage
- USB 2.0 for universal direct external storage
- Supports multi O/S : Windows, Linux, Mac OS
- High quality aluminum & metal case
- Extra security: Keylock for each HDD bay
- Power and Status LED

Applications

- Fault tolerant high speed network storage
- Large capacity network drive
- Disk to disk backup via network or e-SATA/USB
- Video, DVR, Design, Archiving storage
- High performing, multi hosting network drive for SMBs
- Sharable multimedia storage (audio, video streaming)

Product Specifications

- **Data Transfer Interface**
Ethernet 1000Mbps, e-SATA 3Gbps, USB2.0 480Mbps,
- **HDD Type** 3.5" SATA
- **Drive Capacities** 4x 250 GB, 500GB, 750GB, 1TB
- **Case** In Aluminum. Silver / Black.

Drive Performance Specifications

- **Average Read Seek** 8.9 ms
- **Rotational Speed** 7,200 RPM
- **Buffer** 8,16, 32 MB

Contact

info@hantz.com

<http://www.hantz.com>

T +49 761 59210-0

F +49 761 5921019